

# MAKE A MOVE!

**Raise your potential  
with WireFree smart shading**



## MAKE THE MOVE TO NEW SALES OPPORTUNITIES

Now is the time to bring customers bold inspiration with WireFree solutions powered by Somfy, which are:

### **VERSATILE**

Automate and connect an extensive range of shades, blinds & draperies.

### **SLEEK & DISCREET**

Innovative motor design is WireFree, eliminating the need for electrician costs.

### **SIMPLE TO INSTALL**

Save time and money thanks to an easy installation process.

# MAKE THE MOVE TO A BETTER CUSTOMER EXPERIENCE

Revolutionize your customers' interior space with convenient & connected control of:

- Natural light
- Temperature
- Glare
- Privacy

## **AUTOMATED**


Program timed events to automate shades at certain times of the day with Somfy connected solutions.

## **SAFE**

No hanging cords, so you're providing a child-safe and pet-friendly solution.

## **QUIET**

Improved sound quality ensures a peaceful and comfortable space.





# MAKE THE MOVE TO CONNECTED SOLUTIONS

Make the most of the smart capabilities and innovative benefits of Somfy WireFree solutions.

## AN INTUITIVE APP

Allows users to control their shades, blinds & draperies from anywhere, anytime.

## SIMPLE VOICE CONTROL

Integrated smart home control and voice commands create even more opportunities.

## COMPATIBILITY


Compatible with other Somfy products and smart home brands to increase business opportunities.



## YOUR CUSTOMERS CAN CHOOSE THE BEST CONTROL DEVICE FOR THEIR NEEDS



- **Wall switch:** Smoove® RTS
- **Remote control:** Telis RTS, Situ®
- **App control:** myLink™, TaHoma®
- **Voice control:** Compatible with Amazon Alexa and Google Assistant\*



**IFTTT**




**myLink™ app and the new TaHoma® app**  
Easily control Somfy products with a smartphone or tablet at anytime, from anywhere. Home or away.



\* With myLink, Google Assistant is available via IFTTT


# SOMFY WIREFREE RANGE FOR INTERIOR WINDOW COVERINGS



ROLLER




ROMAN




WOVEN WOOD




LAYERED/  
ZEBRA



SHEER  
HORIZONTAL




PLEATED



CELLULAR



HORIZONTAL  
BLIND



DRAPERY



## Key functionalities

- **Battery operated motors**
- **Regulated and adjustable speed** for precision & alignment
- **Smooth motion** with soft start & soft stop
- **Improved acoustic standards**
- **Solar charging options**
- **Manual override, touch motion** (for draperies only)



## Key selling points for your customers

- Compatible with **today's most popular window coverings**
- **Easy installation:** no electrical wiring needed
- **Long-life rechargeable batteries**
- **Sleek design & installation:** blends seamlessly into any interior decor
- **Discreet & smooth operation** with Designed for Silence® range
- **Various control device possibilities**
- **Voice control compatibility**



Long-life rechargeable batteries



Many of our motors and accessories guarantee an industry-leading level of premium silence


# SOMFY WIREFREE LI-ION MOTORS

## Li-ion

A rechargeable battery with proven technology and outstanding performance. It features a compact design with no memory effect and a low self-discharge for increased battery life.

## Quality

Somfy guarantees quality products with controlled manufacturing processes.



## Safety

The Somfy Li-ion offer is comprised of motors, battery packs and chargers. Each element is meticulously tested to ensure safe and optimal performance.

Somfy Li-ion battery packs comply with:

- IEC 62133 (Battery safety testing)
- UL 2054 (Household and commercial batteries).
- UN 38.3 (Recommendations on the transport of dangerous goods)

Somfy Li-ion motors comply with:

- IEC 60335 (Household appliance safety standard).

Finally, our Li-ion chargers comply with:

- UL 1330 (Appliance wiring materials).



## Autonomy

Somfy offers long-lasting batteries that need to be recharged only once or twice a year.


When you choose Somfy motorization for your customers, you choose with **the confidence of a five-year warranty** and a 50-year reputation for well designed, high-quality reliability. You choose **the customer service and support** you'd expect from a world leader, focused on a better way of living.














*\* 2-year limited warranty on batteries*






# TUBULAR MOTORS




Motor	Torque	Speed	Min. tube diameter	Total length	Battery capacity	Recharge cycle	Designed for Silence
<b>Sonesse® 40 WireFree RTS (Li-ion)</b>  1240485	3 Nm	10-28 rpm	1.39 in. (35.3 mm)	25.6 in. (650 mm)	4600 mAh	1 / year	 Somfy DESIGNED FOR SILENCE
<b>Sonesse® ULTRA 30 WireFree RTS (Li-ion)</b>  1003310	2 Nm	10-28 rpm	1.13 in. (28.8 mm)	25.6 in. (650 mm)	2600 mAh	1 / year	 Somfy DESIGNED FOR SILENCE
<b>Sonesse® 30 WireFree RTS (Li-ion)</b>  1003128	2 Nm	10-28 rpm	1.13 in. (28.8 mm)	23.7 in. (601.7 mm)	2600 mAh	1 / year	 Somfy DESIGNED FOR SILENCE
<b>Sonesse® 28 WireFree RTS (Li-ion)</b>  1003297	1.1 Nm	10-28 rpm	1.05 in. (26.6 mm)	21.5 in. (546 mm)	2600 mAh	1 / year	 Somfy DESIGNED FOR SILENCE
<b>Sonesse® 28 WireFree RTS (External Battery)</b>  1241230	1.1 Nm	10-28 rpm	1.05 in. (26.6 mm)	13.7 in. (349 mm)	External	1 / year	 Somfy DESIGNED FOR SILENCE
<b>Roll Up 28 WireFree™ RTS (Li-ion)</b>  1240291	1.1 Nm	10-28 rpm	1.05 in. (26.6 mm)	22.8 in. (580 mm)	2600 mAh	1 / year	-
<b>Roll Up 28 WireFree™ RTS (External Battery)</b>  1240292	1.1 Nm	10-28 rpm	1.05 in. (26.6 mm)	13.98 in. (355 mm)	External	1 / year	-
<b>Roll Up 24 WireFree™ RTS (Li-ion)</b>  1240278	0.55 Nm	20 - 38 rpm	0.87 in. (22 mm)	18.8 in. (478 mm)	800 mAh	2 / year	-

# SHAFT MOTORS

Motor	Torque	Speed	Headrail width	Total length	Designed for Silence
<b>Cord Lift WireFree™ TL25 RTS</b>  1003294	0.8 Nm	18-30 rpm	min 1 in. (25 mm)	7.9 in. (200 mm)	 Somfy DESIGNED FOR SILENCE





Motor	Torque	Speed	Headrail width	Total length	Designed for Silence
<b>Tilt 50 WireFree™ Through-Shaft RTS</b>  1240276	1 Nm	5-15 rpm	min 2 in. (50 mm)	4.09 in. (104 mm)	-




# DRAPERY MOTORS



Motor	Max. track length	Compatible with bent tracks	Speed	Max. drapery weight	Battery capacity	Recharge cycle	Designed for Silence
<b>Irismo™ 45 WireFree RTS</b>  1002353	33 ft. (10 m)	yes	4.9-7.87 in./sec. 12.5-20 cm/sec.	99 lbs. (45 kg)	2950 mAh	1 / year	 Somfy DESIGNED FOR SILENCE

# TUBULAR MOTORS



## Sonesse® 40 WireFree RTS (Li-ion)

NEW

Part #1240485

The most powerful and easy-to-install motor for larger shading applications designed for silence



Torque	3 Nm
Speed	10 - 28 rpm
Min. tube diameter	1.39 in. (35.3 mm)
Total length	25.6 in. (650 mm)
Battery capacity	4600 mAh
Recharge	1 / year



## Sonesse® ULTRA 30 WireFree RTS (Li-ion)

NEW

Part #1003310

The ULTRA powerful, ULTRA easy and ULTRA silent



Torque	2 Nm
Speed	10 - 28 rpm
Min. tube diameter	1.13 in. (28.8 mm)
Total length	25.6 in. (650 mm)
Battery capacity	2600 mAh
Recharge	1 / year



## Sonesse® 30 WireFree RTS (Li-ion)

Part #1003128

The powerful and easy-to-install motor, designed for silence



Torque	2 Nm
Speed	10 - 28 rpm
Min. tube diameter	1.13 in. (28.8 mm)
Total length	23.7 in. (601.7 mm)
Battery capacity	2600 mAh
Recharge	1 / year



## Sonesse® 28 WireFree RTS (Li-ion)

NEW

Part #1003297

The multi-functional easy-to-install motor, designed for silence



Torque	1.1 Nm
Speed	10 - 28 rpm
Min. tube diameter	1.05 in. (26.6 mm)
Total length	21.5 in. (546 mm)
Battery capacity	2600 mAh
Recharge	1 / year



## Soness® 28 WireFree RTS (External Battery)

Part #1241230

The multi-functional easy-to-install motor, designed for silence



Torque	1.1 Nm
Speed	10 - 28 rpm
Min. tube diameter	1.05 in. (26.6 mm)
Total length	13.7 in. (349 mm)
Battery	External
Recharge	1 / year



NEW

## Roll Up 28 WireFree™ RTS (Li-ion)

Part #1240291

The multi-functional and easy-to-install motor



Torque	1.1 Nm
Speed	10 - 28 rpm
Min. tube diameter	1.05 in. (26.6 mm)
Total length	22.8 in. (580 mm)
Battery capacity	2600 mAh
Recharge	1 / year



## Roll Up 28 WireFree™ RTS (External Battery)

Part #1240292

The multi-functional and easy-to-install motor



Torque	1.1 Nm
Speed	10 - 28 rpm
Min. tube diameter	1.05 in. (26.6 mm)
Total length	13.98 in. (355 mm)
Battery	External
Recharge	1 / year



## Roll Up 24 WireFree™ RTS (Li-ion)

Part #1240278

The smallest motor to fit the smallest roller tubes



Torque	0.55 Nm
Speed	20 - 38 rpm
Min. tube diameter	.87 in. (22 mm)
Total length	18.8 in. (478 mm)
Battery capacity	800 mAh
Recharge	2 / year

NEW




# SHAFT MOTORS

## Cord Lift WireFree™ TL25 RTS

Part #1003294

New for Cord Lift headrail applications



Torque	0.8 Nm
Speed	18 - 30 rpm
Headrail width	min 1 in. (25 mm)
Total length	7.9 in. (200 mm)



## Tilt 50 WireFree™ Through-Shaft RTS

Part #1240276

Shaft motor for tilting 2 inch horizontal blinds



Torque	1.0 Nm
Speed	5 - 15 rpm
Headrail width	min 2 in. (50 mm)
Total length	4.09 in. (104 mm)



# POWER SOURCES



**Plug-in Charger with 6ft Cable**  
Part #9020672

Compatible with motors:  
1003128 and 1240291

Charging Extension Cable:  
96" - 9020673



**Lithium-ion Charger with 6ft Cable**  
Part #9025166

Compatible with motors:  
1240485, 1003310, 1003297 and 1240278

Charging extension Cables:  
94.5" - 9021016  
8" - 9021131 (for headrail/cassette applications)



**Plug-in Wall Power Supply with 9.9ft Cable**  
(120V AC to 12V DC)  
Part #1822445

Compatible with motors:  
1003294, 1240276, 1241230 and 1240292

# DRAPERY MOTOR



## Irismo™ 45 WireFree RTS

Part #1002353

With removable (Li-ion) rechargeable battery



- For use with straight, bent, curved or ripple track
- Pinch Pleat and Ripplefold®
- Quiet operation

Max. track length	33 ft. (10 m)
Compatible with bent tracks	yes
Speed	4.9-7.87 in./sec. (12.5 - 20 cm/sec.)
Max drapery weight	99 lbs. (45 kg)
Battery capacity	2950 mAh
Recharge	1 / year




### Li-ion Rechargeable Battery Pack (2600 mAh)

Part #9021217

Compatible with motors:  
1003294, 1240276, 1241230 and 1240292

Extension Cables for Battery to Motor:

- 10" - 9018623
- 48" - 9016736
- 96" - 9018624



### Solar Panel for Li-ion

Part #9027294

Compatible with motors:  
1240485, 1003310, 1003297 and 1240278

Compatible with Li-ion Battery Pack:  
9021217



### Plug-in Charger for Irismo™ 45

Part #1003080

Compatible with motor:  
1002353