

Product Environmental Profil

Sonesse 40 WT



A leading player in the housing industry for over 50 years, SOMFY is working to reduce its carbon emissions by 50% by 2030 and like so helps its customers and partners in their environmental approach.

Our actions to reduce our carbon footprint:

OFFER ECO-DESIGNED* PRODUCTS WITH A REDUCED ENVIRONMENTAL IMPACT THROUGHOUT THEIR LIFE CYCLE

OFFER SOLUTIONS THAT IMPROVE THE ENERGY EFFICIENCY OF BUILDINGS AND THUS LIMIT CO₂ EMISSIONS.

[1]. Somfy's eco-design approach, identified by the ACT FOR GREEN label, aims to reduce the environmental impact of products throughout their life cycle, from the extraction of raw materials to the end of their life, by placing requirements above current regulations.



— Reference product —



> Reference product

Sonesse 40 WT QT40 9/12G1 CL2VVF2,5M

Réf. 5133983

> Functional unit

"To ensure the closing and opening action by performing 10 000 operations cycles, with a torque of 9 N.m and on a length of 2 meters, for a lifetime of 15 years corresponding to a 16 winding turns per half cycle with a tube diameter of 40 mm."

> References covered

Gamme	Version N.m/RPM	Reference	Gamme	Version	Reference	Gamme	Version	Reference
G1	3/30	5133966	G2	4/36	5133973	G3	3/30	5133969
		5133967		9/14	5133985		5/20	5133974
		5133968		6/24	5133978		7/12	5133982
	6/20	5133975					5133970	
		5133976				G6	5133971	
		5133977					5133986	
	9/12	5133983					9/14	5133987
								5133988
	1,3/50	5133965					6/24	5133979

50, avenue du Nouveau
Monde
74300 Cluses
Tél. 04 50 96 83 79

Product Environmental Profil Sonesse 40 WT



Materials and substances

All useful measures have been adopted to ensure that the materials used in the composition of the product do not contain any substances banned by the legislation in force at the time of marketing.

Plastics		Metals		Other	
	%		%		%
PC	6,8	Steel	46,3	Glass fiber	3,60
PA66	4,1	Copper	8,6	Product unspecified	0,50
POM	2,1	Zamak	1,5	dye	0,10
PET	0,8	Bronze	1,4	Other	0,20
PE	0,6	Alloy	0,9	Sum	4,40
Other	2,9	Other	3,3	Packaging	
Sum	17,3	Sum	62,0	Cardboard	9,1
				Paper	7,2
				Sum	16,3
Total mass of the reference product: 1.75 kg					
Estimated recyclable content : 13.9%					

> CHEMICAL SUBSTANCES

The product covered by this PEP comply with REACH regulation and RoHS directive 2011/65/EU, 2015/863 et 201/2102.



— Representativness —

- > Data has been collected between January and April 2023 by our design team, then treated and analyzed in July and August 2023.
- > Data are related to the location of the production and assembly.
- > Data matches with previous technology and commercial references only.

— Manufacturing —

The devices covered in this PEP are manufactured in a production that has adopted an environmental management approach.

> Energy model

French mix 2018

— Distribution —

> Packaging is continuously improved by reducing the amount and using a maximum of recycled materials

> The unit pack has been modeled here. It is made up of:

- 100% recycled fiber paper instructions
- cardboard with a minimum of 50% recycled fibers

— Installation —

> Installation elements

There is no element included in this phase.

> Installation processes

There is no installation process

> Energy model

Not applicable

> Packaging's end of life

89% recycling / 9.5% incineration without energy recovery / 1.5% landfill for cardboard and paper

— Use —

For the considered scenario, the product has a power of 120 W in active mode during 0.34% of the time. This corresponds to an energy consumption of 53.1 kWh for the lifetime of 15 years.

> Energy model of the use phase: European mix 2018

> Consumables and maintenance : None

— End of life —

> Typical transport conditions

Considering the complexity of the electric and electronic recycling channel and our lack of knowledge about the end-of-life processes implemented all around the world, we considered:

- 200 km of transport.
- A waste pretreatment of electrical and electronic equipment, including dismantling and material separation
- A waste incineration of electrical and electronic equipment

Product Environmental Profil

Sonesse 40 WT



— Environmental impacts —

Evaluation of the environmental impact covers the following life cycle stages: manufacturing, distribution, installation, use and end of life.
All calculations are done with EIME software version EIME© v5.9.3 and CODDE 2022-01.

Indicators	Units	Global	Manufacturing	Distribution	Installation	Use	End of life
Resource use, minerals and metals (Abiotic resource depletion - Elements)	kg SB eq.	3.89e-4	3.88e-4	2.03e-8	9.86e-10	1.58e-6	3.18e-9
Resource use, fossils (Abiotic resource depletion - Fossil fuels)	MJ	7.75e+2	2.12e+2	7.18e+0	2.06e-1	5.54e+2	8.15e-1
Acidification	mol H+ eq.	2.35e-1	9.13e-2	1.86e-2	1.43e-4	1.24e-1	5.18e-4
Ecotoxicity, freshwater	CTUe	1.19e+3	8.56e+2	3.48e-1	1.76e+0	2.34e+2	1.01e+2
Human toxicity, cancer	CTUh	3.07e-6	3.07e-6	8.48e-12	6.67e-12	2.54e-9	1.12e-9
Human toxicity, non-cancer	CTUh	8.14e-7	6.87e-7	1.66e-9	7.74e-10	1.01e-7	2.36e-8
Eutrophication, freshwater	kg P eq.	1.21e-4	4.68e-5	1.95e-7	2.59e-6	5.96e-5	1.15e-5
Eutrophication, marine	kg N eq.	3.02e-2	1.10e-2	4.43e-3	3.62e-4	1.41e-2	2.54e-4
Eutrophication, terrestrial	mol N eq.	3.82e-1	1.19e-1	4.85e-2	5.31e-4	2.12e-1	2.24e-3
Climate change - total	kg CO2 eq.	3.20e+1	8.41e+0	5.67e-1	4.74e-1	2.18e+1	7.50e-1
Climate change - biogenic	kg CO2 eq.	1.38e-1	1.09e-1	0.00e+0	-3.10e-10	2.90e-2	-5.02e-6
Climate change - fossil	kg CO2 eq.	3.18e+1	8.30e+0	5.67e-1	4.74e-1	2.17e+1	7.50e-1
Climate change - land use and land transformation	kg CO2 eq.	0.00e+0	0.00e+0	0.00e+0	0.00e+0	0.00e+0	0.00e+0
Ionising radiation, human health	kg U235 eq.	1.16e+2	8.32e+1	1.18e-3	6.27e-4	3.23e+1	5.06e-3
Land use	No dimension	5.67e-1	1.35e-1	0.00e+0	0.00e+0	4.33e-1	0.00e+0
Ozone depletion	kg CFC-11 eq.	1.01e-6	9.11e-7	7.42e-10	9.96e-10	9.30e-8	2.82e-9
Particulate matter	Disease occurrence	1.62e-6	5.54e-7	9.84e-8	8.78e-10	9.63e-7	2.86e-9
Photochemical ozone formation, human health	kg NMVOC eq.	9.71e-2	3.85e-2	1.25e-2	2.63e-4	4.53e-2	5.68e-4
Water use	m3 eq.	1.22e+1	1.14e+1	1.87e-3	1.85e-3	7.70e-1	1.25e-2
Total Primary Energy	MJ	8.86e+2	2.17e+2	7.19e+0	2.11e-1	6.61e+2	8.25e-1
Use of renewable primary energy excluding renewable primary energy used as raw material	MJ	1.10e+2	3.66e+0	9.21e-3	4.20e-3	1.06e+2	1.02e-2
Use of renewable primary energy resources used as raw material	MJ	1.60e+0	1.60e+0	0.00e+0	0.00e+0	0.00e+0	0.00e+0
Total use of renewable primary energy resources	MJ	1.12e+2	5.27e+0	9.21e-3	4.20e-3	1.06e+2	1.02e-2
Use of non renewable primary energy excluding non renewable primary energy used as raw material	MJ	7.66e+2	2.04e+2	7.18e+0	2.06e-1	5.54e+2	8.15e-1
Use of non renewable primary energy resources used as raw material	MJ	8.48e+0	8.48e+0	0.00e+0	0.00e+0	0.00e+0	0.00e+0
Total use of non-renewable primary energy resources	MJ	7.75e+2	2.12e+2	7.18e+0	2.06e-1	5.54e+2	8.15e-1
Use of secondary material	kg	4.44e-1	4.44e-1	0.00e+0	0.00e+0	0.00e+0	0.00e+0

Product Environmental Profil

Sonesse 40 WT



> Here are the impacts of the B module.

Indicators	Units	Use phase	B1	B2	B3	B4	B5	B6	B7
Resource use, minerals and metals (Abiotic resource depletion - Elements)	kg SB eq.	1.58e-6	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	1.58e-6	0.00E+00
Resource use, fossils (Abiotic resource depletion - Fossil fuels)	MJ	5.54e+2	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	5.54e+2	0.00E+00
Acidification	mol H+ eq.	1.24e-1	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	1.24e-1	0.00E+00
Ecotoxicity, freshwater	CTUe	2.34e+2	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	2.34e+2	0.00E+00
Human toxicity, cancer	CTUh	2.54e-9	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	2.54e-9	0.00E+00
Human toxicity, non-cancer	CTUh	1.01e-7	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	1.01e-7	0.00E+00
Eutrophication, freshwater	kg P eq.	5.96e-5	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	5.96e-5	0.00E+00
Eutrophication, marine	kg N eq.	1.41e-2	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	1.41e-2	0.00E+00
Eutrophication, terrestrial	mol N eq.	2.12e-1	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	2.12e-1	0.00E+00
Climate change - total	kg CO2 eq.	2.18e+1	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	2.18e+1	0.00E+00
Climate change - biogenic	kg CO2 eq.	2.90e-2	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	2.90e-2	0.00E+00
Climate change - fossil	kg CO2 eq.	2.17e+1	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	2.17e+1	0.00E+00
Climate change - land use and land transformation	kg CO2 eq.	0.00e+0	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00e+0	0.00E+00
Ionising radiation, human health	kg U235 eq.	3.23e+1	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	3.23e+1	0.00E+00
Land use	No dimension	4.33e-1	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	4.33e-1	0.00E+00
Ozone depletion	kg CFC-11 eq.	9.30e-8	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	9.30e-8	0.00E+00
Particulate matter	Disease occurrence	9.63e-7	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	9.63e-7	0.00E+00
Photochemical ozone formation, human health	kg NMVOC eq.	4.53e-2	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	4.53e-2	0.00E+00
Water use	m3 eq.	7.70e-1	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	7.70e-1	0.00E+00
Total Primary Energy	MJ	6.61e+2	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	6.61e+2	0.00E+00
Use of renewable primary energy excluding renewable primary energy used as raw material	MJ	1.06e+2	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	1.06e+2	0.00E+00
Use of renewable primary energy resources used as raw material	MJ	0.00e+0	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00e+0	0.00E+00
Total use of renewable primary energy resources	MJ	1.06e+2	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	1.06e+2	0.00E+00
Use of non renewable primary energy excluding non renewable primary energy used as raw material	MJ	5.54e+2	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	5.54e+2	0.00E+00
Use of non renewable primary energy resources used as raw material	MJ	0.00e+0	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00e+0	0.00E+00
Total use of non-renewable primary energy resources	MJ	5.54e+2	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	5.54e+2	0.00E+00
Use of secondary material	kg	0.00e+0	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00e+0	0.00E+00

> Biogenic carbon content : 0 kg C. biogenic for the product, 0.287kg C. biogenic for the packaging.

50, avenue du Nouveau
Monde
74300 Cluses
Tél. 04 50 96 83 79

Product Environmental Profil

Sonesse 40 WT



> Those impacts are only applicable to the reference product on page 1.

> Extrapolation rule

For each phase of the life cycle, there is an extrapolation factor. To obtain the impacts of the other product, you need to multiply by the specific extrapolation factor.

REFERENCE	N.m	Manufacturing	Distribution	Installation	Use	End of life	Example for total Global warming (kg éq. CO ₂)
15133983	9	1	1	1	1,00	1	3,23E+1
5133966	3	1	1	1	0,32	1	1,02E+01
5133967	3	1	1	1	0,32	1	1,02E+01
5133968	3	1	1	1	0,32	1	1,02E+01
5133975	6	1	1	1	0,60	1	1,94E+01
5133976	6	1	1	1	0,60	1	1,94E+01
5133977	6	1	1	1	0,60	1	1,94E+01
5133965	1.3	1	1	1	0,19	1	6,17E+00
5133973	4	1	1	1	0,31	1	9,87E+00
5133985	9	1	1	1	0,86	1	2,77E+01
5133978	6	1	1	1	0,50	1	1,62E+01
5133969	3	1	1	1	0,28	1	9,15E+00
5133974	5	1	1	1	0,42	1	1,37E+01
5133982	7	1	1	1	0,71	1	2,29E+01
5133970	3	1	1	1	0,26	1	8,52E+00
5133971	3	1	1	1	0,26	1	8,52E+00
5133986	9	1	1	1	0,86	1	2,77E+01
5133987	9	1	1	1	0,86	1	2,77E+01
5133988	9	1	1	1	0,86	1	2,77E+01
5133979	6	1	1	1	0,50	1	1,62E+01
5133980	6	1	1	1	0,50	1	1,62E+01
5133981	6	1	1	1	0,50	1	1,62E+01

Registration numbe : SOMF-00027-V02.01-EN	Drafting Rules: PCR-ed4-FR-2021 09 06
Accreditation number: VH48	Complemented by : PSR-0006-ed1.1-EN-2015 10 16
Date of issue: 08-2023	Programme information: www.pep-ecopassport.org
Independent verification of the declaration and data, in compliance with ISO 14025 : 2010	
Internal <input type="checkbox"/> External <input checked="" type="checkbox"/>	
The PCR review was conducted by a panel of experts chaired by Julie ORGELET (DDEMAIN)	
PEP are compliant with ISO 14025 environnemental declaration type III	
The elements of the present PEP cannot be compared with elements from another program.	
Document in compliance with ISO 14025: 2010 "Environmental labels and declarations. Type III environmental déclarations. »	
Somfy contact: Justine Tavernier. Ecodesign Engineer. justine.tavernier@somfy.com	

